

Medical Disposable Solutions

WWW//

12th Edition

All products and product specifications identified in the product catalogue are based upon the information available to Biçakcılar at the time of publication. Biçakcılar reserves the right to discontinue any of these products or to change any such specifications without prior notice.

Patients are at the center of every step we take



61 YEARS OF EXPERIENCE

Biçakcılar is the leading disposable medical device and electro-medical device manufacturer in Turkey. The company was founded in 1959. Through the years, Biçakcılar brand has gained wide acceptance and has established a tradition of sustained reliability and customer satisfaction.

As Biçakcılar employees, together with our business partners, we serve our customers by manufacturing and supplying innovative, reliable and environment friendly medical devices. We diligently value our brand and its benefit to society.

Mission

Our compassion for healthy life is leading us to focus on innovative thinking and new technologies in order to provide medical devices that make living easier, more affordable and effective.

Vision

We believe in a world where everybody is taken care of, comfortable and happy, in sickness and in health.

Group Companies



Operates in manufacturing of disposable medical devices, electro-medical equipment, and distribution of medical devices from leading multinational brands. Manufacturing facilities are in Istanbul Esenyurt, whereas domestic sales and distribution is performed via regional sales branches in Istanbul, Ankara, İzmir, Samsun and Adana. Bıçakcılar Headquarters is in İstanbul.



Established in İstanbul, this company conducts the global marketing and sales operations of medical devices. Through its international dealer network, it offers sales and after-sales services in more than 100 countries worldwide.





31.000 m² MANUFACTURING FACILITIES

Our Manufacturing Facilities

Our manufacturing facilities are located in a closed area of 31,000 m² constructed on a total area of 26,500 m² in Esenyurt, İstanbul. Bıçakcılar offers a wide range of medical products from sterile disposable devices to medical equipment.

The production of disposable medical devices is carried out in a total of 4.226 m² clean rooms. Sterilization safety is ensured by keeping the biological load of the products under control in clean rooms. Ethylene oxide gas is used in sterilization process. Sterilization assurance is provided in accordance with ISO 11135 with high technology equipment. Disposable medical products are packed in clean rooms in fully automatic packaging machines by using packaging materials that maintain their sterile condition during their shelf life.

Disposable device division includes injection, extrusion, blow molding, assembly, packaging and sterilization departments whereas electro-medical equipment manufacturing division includes metal shop, machining manufacturing, surface cleaning, dying, mechanical and electrical assembly departments. Pre-shipment storage processes of our products are also performed in our factories. Finished products are stored in airconditioned 3.500 m² warehouses with around the clock humidity/temperature monitoring.

Raw material warehouses are temperature and humidity controlled areas meeting high industry standards. In-house mould design and production capability add strength and flexibility both in device design and development stages.

Sales Network

With a team of 100 people that work in the headquarters and 5 sales branches, Bıçakcılar owns the largest sales and distribution team in medical field in Turkey. Considering the significance of close relationship with users, it serves on 24/7 schedule with the target of continuous and optimum service.

Marketing team follows the developments in the world constantly, supports the required clinical trials, and supplies these to end-users, and thus pioneers the introduction of new products into the Turkish market.

100 EXPORT COUNTRIES

Global Market Network

Biçakcılar exports its medical devices to more than 100 countries all around the world;







Quality

Bıçakcılar Quality System complies with ISO 9001, EN ISO 13485 and ISO 14001 has been certified by TÜV NORD and TÜV THÜRINGEN. Bıçakcılar products are CE marked. The company globalized as a brand that is relied upon and cared by the world that cares about health.

Biçakcılar medical equipment and disposable products are produced according to GMP, with latest technologies in modern production facilities established on 26.500 m² land with 30.900 m² closed area. Biocompatible raw materials used in production are in conformity to USP and ISO 10993 Standards. In-house acceptance controls are also performed to meet the stringent demands of our quality system.

Quality Policy

Our quality policy in Bıçakcılar Tıbbi Cihazlar A.Ş. is;

- Innovative thinking is our mandate. Our research and development along with focus
 on competitiveness, we continuously develop ways of being more productive without
 any negative impact on quality.
- We fulfill all regulatory and normative requirements (e.g Medical Device Directive and ISO EN 13485 Standard).
- We guarantee compliance for our products as per international standards.
- We make sure that each employee in the organization shares the same mission, vision and strategy so that our corporate culture can only enhance our products and solution for our customers.
- The effectiveness of quality management systems is a top priority for our organisation to meet customer and regulatory requirements.
- We provide the resources for improvement of activities by reviewing the effectiveness of the available quality system and the quality targets which are created in line with the quality policy, on a continuous basis.
- We implement our quality system effectively in every phase of our processes to assure complete customer satisfaction.



TUV NORD



6



Turquality[®]

TURQUALITY[®] is an ambitious project associated with bringing "Turkey" and "Quality" concepts together.

The project is initiated by the Turkish Government, Ministry of Economy, Turkish Exporters' Assembly (TIM), and Istanbul Textile and Apparel Exporters' Association (ITKIB). The initial legal framework was laid out publicly on January 12th, 2004.

TURQUALITY® is basically an accreditation system, which is designed not only for elevating the beneficiary companies to the level of international benchmarks, but also creating awareness on the internationally accepted values like quality and novelty that are actually carried by these brands.

As a "national brand-building program", TURQUALITY®'s goal is to facilitate and support the success of Turkish brands on international arena.

To achieve these ambitious goals, TURQUALITY[®] program will broaden its vision to the wider concept of "quality in brand management" and emphasize its support services component with the inclusion of highly customized strategic coaching and consulting.

To support companies in their brand-building efforts, TURQUALITY® helps them to develop essential capabilities, competences, skills and resources necessary to fulfil such a complex commitment through both group and individual activities.

Bıçakcılar brand has been accredited under TURQUALITY® in 2016.



R&D Activities

"Research, Development and Creative Thinking" are the milestones of the anticipated growth in the future. We have a solid R&D infrastructure that follows the improving and changing world and industry, and develops new product designs to offer the best product in optimum quality and at the best price.

R&D is the most significant element of company's mission and vision, and the primary unit that receives the largest amount of investment in Biçakcılar.

Along with the new product developments in disposable devices and electro-medical equipment, and strengthening and expansion of operations within the company, all activities are incorporated under the "R&D Center" structure, and cooperation with universities and technology transfer offices, as well as government institutes, such as TÜBİTAK are mainstream activities.

Our multidisciplinary R&D team monitors the new trends, market/user requirements and technological developments.

Our priority is to design and develop medical devices that are economically manufacturable with patient safety in mind.








Laboratory

Each stage of manufacturing is under the control of Biçakcılar Quality Control Laboratory, which employs specialized staff working in line with the GLP rules, and modern equipment. This laboratory is accredited by Turkish Accreditation Institution (TÜRKAK).

Due to changing regulatory environment in healthcare industry both in Turkey and the world, Bıçakcılar Laboratory started to comply with all articles of ISO 17025 Standard in order to offer its know-how to the use of other Medical Device Manufacturers. Chemical Test Laboratory commenced its operation as of January 2005.

Biçakcılar Quality Control Laboratory has been accredited to perform physical, chemical, bio-burden, sterility, stability, and ETO residual testing. Equipped with state-of-the-art technology and highly trained personnel.







Social Responsibility and Environment

Adopting increased environmental awareness, and protection of environment as main principles, Biçakcılar Management established an Environmental Management System in order to conform manufacturing and operation to the environmental policy and targets.

Biçakcılar Occupational Health and Safety- Environment Management System has been designed and documented in conformity with the terms of ISO 14001:2009 and OHSAS 18001:2007 Standards. Compliance of Environment Management System with these standards is maintained while its efficiency is constantly enhanced.

osi 14001 sv18001


Social Associations

that we cooperate with









Waste Treatment Facilities

In line with the sustainable development principle, Bıçakcılar constantly keeps environmental effects under control in order to leave a clean and healthy world to the next generations. Bıçakcılar is the the first medical device manufacturing company in Turkey that has established an ethylene oxide treatment facility that operates through catalytic oxidation for the sterilization unit air emission.

Thanks to its waste management activities that reduce waste production in its own source, Biçakcılar stores operational waste in its waste repositories that are specially designed for each waste stream, and disposes collected waste in conformity with regulations.

While maintaining its leader position in the Turkish medical device industry, it is also the primary target of Bıçakcılar to be a leader in the matters of environment and occupational health and safety.

BIÇAKCILAR


For single use only!



Single use medical devices have to comply with 93/42/EEC Directive if hospitals clean, re-package, and re-sterilize these devices with the intention to re-use on other patients, by definition the hospital becomes a medical device manufacturer. Re-processed single use medical devices have to be labeled in conformity with relevant standards and also instructions for use have to be provided. Hospitals neither are medical device manufacturers nor do they carry the responsibilities of manufacturers. Therefore, hospital administration will be held responsible for any disease, injury and/or death of a patient, user, and/or third party resulting directly and/or which may result from re-use of single use medical devices. Furthermore, no hospital has the infrastructure and technologies to process medical devices in a cost-effective manner.

Medical devices labeled as "for single use only", are not designed to be dismantled for proper cleaning and therefore, it becomes impossible to re-sterilize them; any process to prepare them for re-use may compromise their integrity and/or functionality. The processes used in preparing single use devices for re-use have not been investigated for their effects on patients, users, and/or third parties. For these and many other reasons, do not re-use medical devices that have been labeled "for single use only" and do not re-process them for re-use. Single use medical devices are designed and manufactured for one use only.

DEHP-free production



Unplasticised PVC is hard and brittle at room temperature. A plasticiser, softener, is typically added to increase flexilibility of the polymer. Virtually all medical devices made from PVC utilise one plasticizer: DEHP. It has been known for a long time that DEHP can leach out of PVC, resulting in exposure to body tissues and fluids. The amount of DEHP that will leach out depends on temperature, the lipid content of the liquid and the duration of contact with the plastic.

It has been known that according to in vivo and in vitro research studies; DEHP or its metabolites result in adverse effects in the liver, reproductive tract, kidneys, lungs, and heart. DEHP seems to pose a relatively low risk of hepatic cancer in humans. However uncertainties about the relevance of the mechanism of action of DEHP-related carcinogenic effects in humans cannot be ruled out.

As a result of these developments, scientific research that continues today and customer demand, medical device industry started looking for alternatives to DEHP. DEHT has a significant market use experience in place of traditional DEHP. Also, DEHT has similar extraction values to DEHP in oil and hexane, lower in soapy water. Lower volatility than DEHP. The low temperature flexibility of DEHT in PVC is equal to that of DEHP. All relevant studies show that DEHT is not genotoxic, has no effect on irritaation and sensitization. It is not absorbed from the GI tract upon oral exposure where it is rapidly excreted. This constrast to the metabolite profile of the ortho-phthalate DEHP which primarily undergoes hydrolysis to form the mono ester (MEHP) (Scientific Committee Report 2008). The report released in 2015 also concludes the same results.

"At doses where DEHP, BBP and DINP all altered sexual differentiation, DEHT was inactive" European Commision, 2002

DEHT is not genotoxic (like its isomeric relative DEHP).

As a result of all these, customer demands for the DEHP-free medical devises cannot be ignored. Many manufacturers started to search for alternatives for DEHP as a plasticiser. Referring to the literature search, guidance documents and reports prepared by competitors, it can be easily seen that, DEHT is a well known and common plasticizer, as an alternative to DEHP. There is no evidence, showing any toxic effect in the literature. The literature findings show that the metabolites of DEHT are not toxic and it is not classified as a "phthalate", so it can be concluded that this raw material does not carry any risk for pediatric and breast-feding female patients.

Considering the strong market demand for DEHP-free product, we, as Biçakcılar, have changed our product portfolio to DEHP-free constituents.



OPERATING ROOM (OR) AND INTENSIVE CARE UNIT (ICU)

Page

Product Anest

Anesthesia	
Tracheal Tube Cuffed	18
Tracheal Tube Uncuffed	18
Reinforced Tracheal Tube Cuffed	19
Reinforced Tracheal Tube Uncuffed	19
RAE Tracheal Tube, Oral, Cuffed	20
RAE Tracheal Tube, Oral, Uncuffed	20
RAE Tracheal Tube, Nasal, Cuffed	21
RAE Tracheal Tube, Nasal, Uncuffed	21
Tracheal Tube Holder	22
Intubation Stylet	22
Guedel Airway	22
Tracheostomy Tube Cuffed	23
Tracheostomy Tube Uncuffed	23
B-Spiro 5000 Volumetric Exerciser	24
B-Spiro 2500 Volumetric Exerciser	24
B-Spiro Pediatric Volumetric Exerciser	25
B-Spiro Triball Flowmetric Exerciser	25
Pressure Monitoring Sets	26-27
Umbilical Catheter	28
Oxygen Catheter	28
Nasal Oxygen Cannula	29
Gas Sampling Lines	29

Product	Page
Tracheal Suctioning	
Suction Catheter Beveled Tip	30
Suction Catheter Ideal Tip	30
Suction Catheter Ring Tip	31
Suction Catheter Coudé Tip	31
Suction Catheter w/Vakon Connector Ideal Tip	32
Suction Catheter w/Vakon II Connector Ideal Tip	32
Suction Catheter w/Vacuum Control Connector	33
Suction Catheter w/Kapkon Connector	33
Kapkon Connector	34
Meconium Aspiration Connector	34
Spigot I and II	35
Conical Connector	35
Trachea Suction Sets	36-37

OP Suctioning

Yankauer Suction Set w/Standard and Bulb Tip	38
Yankauer Suction Set w/20 Ch Tip	38
Yankauer Suction Set w/Sump Tip	39
Suction Set w/Poole Tip	39
Yankauer Suction Handle Standard and Bulb Tip	40
Yankauer Suction Handle 20 Ch Tip	40
Yankauer Suction Handle Sump Tip	41
Suction Set Poole Tip	41
Suction Connecting Tube w/Standard Connector	42
Suction Connecting Tube w/Standard and Kapkon Con.	42
Suction Connecting Tube w/Conical Connector	43
Suction Connecting Tube w/Cut-to-fit Connector	43
Suction Bag	44
Canister	45

Product Page Drainage B-Vak Wound Drainage System 400 ml 46 47 B-Vak Mini Wound Drainage System 47 Redon Drain 48 B-Vak Silicone Drainage Systems 49 B-Vak Silicone Drainage Reservoir 49 B-Vak Silicone Flat Drain 49 B-Vak Silicone Channeled Drain 50 T.U.R. / Arthroscopy Set T.U.R. / Arthroscopy Set w/Manual Pressure Pump 50 51 Thoracic Catheter w/Trocar Standard Tip 51 Thoracic Catheter 52 BPDS-2000 Pleural Drainage System 52 BPDS-700 Pleural Drainage System 53 BTDS-2001 Thoracic Drainage System 53 BTDS-2002 Thoracic Drainage System

Product	Page
Other	
External Drainage Set	60-61
Vaginal Speculum	62
Vaginal Speculum II	63
Umbilical Cord Clamp	63

Gastroenterology

Feeding Tube	54
Nasogastric Catheter Levin	54
Rectal Tube	55
	55
Urology	
Urimeter 500 Plus Closed System	56
Urimeter 500	57
Nelaton Catheter	58
Tiemann Catheter	59

ndex

INFUSION

Product	Page
I.V. Cannula	64
Three Way Stopcock	65
Three Way Stopcock 1200 PSI	65
Manifold	65
Manifold Pressure	65
B-Flow Flow Regulator	66
B-Flow Flow Regulator w/I.V. Infusion Set	66
B-Flow Safety Flow Regulator	67
B-Flow Safety Flow Regulator w/I.V. Infusion Set	67
Instopper	68
Stopper	68
Combi Stopper Female/Male Cap	68
B-Safe Valve	69
B-Safe Vial Cap	69
B-Safe Spike	69
B-Safe Extension Line	70
B-Safe Extension Line Duo	70
B-Safe Extension Line Trio	71
B-Safe Extension Line w/"T" Connector	71
B-Safe I.V. Filter Set	72
Transfer Set	72

Product	Page
Extension Line 250 PSI	73
Extension Line Smallbore 250 PSI	73
Extension Line w/Three Way Stopcock	74
Extension Line w/"T" Connector and Slide Calmp	74
Pressure Line 600 PSI w/Slide Clamp	74
Pressure Line 800 PSI	75
Pressure Line 1200 PSI	75

BLOOD TRANSFUSION

Product	
B-Leuko Leukocyte	Depletion Filter

Page

76-77

CARDIOVASCULAR SURGERY

Product	Page
Extracorporeal Tubing Set	78
Quick Prime Set	79
Tubing PVC	79
Straight Connector	80
Y Connector	80
Tubing Connector 3/8" x 3/8"	81
Tubing Connector 3/8"x1/4"	81
Conical Connector	81
Cardioplegia Set	82-83
Vent Catheter	83
Ventricular Vent Catheters	84-86
Aortic Root Cannulae	87-88
Coronary Artery Perfusion Cannula	88
Cannulation Tourniquet Set	89
Vascular Tourniquet Set	90
Suction Wands	90
Cardioplegia Adapters	91
Coronary Artery Retraction Clip	92
Vessel Cannula	92
Surgical Braided Tape	93
Aortic Punch	93
Control Injector	94
Angiographic Set	94-95



Tracheal Tube

Cuffed

For both oral and nasal intubation Atraumatic, soft rounded, beveled tip Murphy eye

Accurate positioning depth marks

Radiopaque line

Standard volume, low pressure cuff

Special cuff design provides an efficient low pressure seal

Valve integrated pilot pressure cuff with designated size and nominal outside diameter markings

Standard connector

Ref	Size	I.D. (mm)	0.D. (mm)
551 0030 1	3.0	3.0	4.5
551 0035 1	3.5	3.5	5.2
551 0040 1	4.0	4.0	5.9
551 0045 1	4.5	4.5	6.5
551 0050 1	5.0	5.0	7.1
551 0055 1	5.5	5.5	7.7
551 0060 1	6.0	6.0	8.4
551 0065 1	6.5	6.5	9.1
551 0070 1	7.0	7.0	9.8
551 0075 1	7.5	7.5	10.3
551 0080 1	8.0	8.0	11.0
551 0085 1	8.5	8.5	11.4
551 0090 1	9.0	9.0	12.0
551 0095 1	9.5	9.5	12.6
551 0100 1	10.0	10.0	13.3



Ref	Size	I.D. (mm)	0.D. (mm)
550 0020 1	2.0	2.0	3.0
550 0025 1	2.5	2.5	3.8
550 0030 1	3.0	3.0	4.5
550 0035 1	3.5	3.5	5.2
550 0040 1	4.0	4.0	5.9
550 0045 1	4.5	4.5	6.5
550 0050 1	5.0	5.0	7.1
550 0055 1	5.5	5.5	7.7
550 0060 1	6.0	6.0	8.4
550 0065 1	6.5	6.5	9.1
550 0070 1	7.0	7.0	9.8

Tracheal Tube

For both oral and nasal intubation

Accurate positioning depth marks

Atraumatic, soft rounded, beveled tip

Uncuffed

Murphy eye

Vocal cord markings

Standard connector

Radiopaque line



Reinforced Tracheal Tube

Cuffed

Metal reinforcing spiral within the wall of the entire tube helps to prevent the tube from kinking

For both oral and nasal intubation

Atraumatic, soft rounded, beveled tip

Murphy eye

Accurate positioning depth marks

Radiopaque

Standard volume, low pressure cuff

Special cuff design provides an efficient low pressure seal

Valve integrated pilot pressure cuff with designated size and nominal outside diameter markings

Standard connector

Ref	Size	I.D. (mm)	0.D. (mm)
551 7030 1	3.0	3.0	5.3
551 7035 1	3.5	3.5	5.8
551 7040 1	4.0	4.0	6.3
551 7045 1	4.5	4.5	6.8
551 7050 1	5.0	5.0	7.3
551 7055 1	5.5	5.5	7.8
551 7060 1	6.0	6.0	8.4
551 7065 1	6.5	6.5	9.0
551 7070 1	7.0	7.0	9.6
551 7075 1	7.5	7.5	10.2
551 7080 1	8.0	8.0	10.8
551 7085 1	8.5	8.5	11.3
551 7090 1	9.0	9.0	11.9
551 7095 1	9.5	9.5	12.4



Ref	Size	I.D. (mm)	0.D. (mm)
550 7030 1	3.0	3.0	5.3
550 7035 1	3.5	3.5	5.8
550 7040 1	4.0	4.0	6.3
550 7045 1	4.5	4.5	6.8
550 7050 1	5.0	5.0	7.3
550 7055 1	5.5	5.5	7.8
550 7060 1	6.0	6.0	8.4
550 7065 1	6.5	6.5	9.0
550 7070 1	7.0	7.0	9.6

Reinforced Tracheal Tube

Uncuffed

Metal reinforcing spiral within the wall of the entire tube helps to prevent the tube from kinking For both oral and nasal intubation Atraumatic, soft rounded, beveled tip Murphy eye Accurate positioning depth marks Vocal cord markings Radiopaque

Standard connector

RAE Tracheal Tube

Oral, Cuffed

For oral intubation Preformed curve design Reduces risk of kinking Maximum security Improved surgical access Atraumatic, soft rounded beveled tip Murphy eye Accurate positioning depth mark Radiopaque line Standard volume, low pressure cuff Special cuff design provides an efficient low pressure seal Valve integrated pilot pressure cuff with designated size and nominal outside diameter markings Standard connector

Ref	Size	I.D. (mm)	0.D. (mm)
551 8030 1	3.0	3.0	4.5
551 8035 1	3.5	3.5	5.2
551 8040 1	4.0	4.0	5.9
551 8045 1	4.5	4.5	6.5
551 8050 1	5.0	5.0	7.1
551 8055 1	5.5	5.5	7.7
551 8060 1	6.0	6.0	8.4
551 8065 1	6.5	6.5	9.1
551 8070 1	7.0	7.0	9.8
551 8075 1	7.5	7.5	10.3
551 8080 1	8.0	8.0	11.0
551 8085 1	8.5	8.5	11.4
551 8090 1	9.0	9.0	12.0

6.0

RAE Tracheal Tube

Oral, Uncuffed For oral intubation Preformed curve design Reduces risk of kinking Maximum security Improved surgical access Atraumatic, soft rounded beveled tip Murphy eye Accurate positioning depth mark Vocal cord markings Radiopaque line

Standard connector

107


TON 00

16

8.4 0.D.

Carolian, 10 6.0 141 8

Ref	Size	I.D. (mm)	O.D . (mm)
550 8030 1	3.0	3.0	4.5
550 8035 1	3.5	3.5	5.2
550 8040 1	4.0	4.0	5.9
550 8045 1	4.5	4.5	6.5
550 8050 1	5.0	5.0	7.1
550 8055 1	5.5	5.5	7.7
550 8060 1	6.0	6.0	8.4
550 8065 1	6.5	6.5	9.1
550 8070 1	7.0	7.0	9.8



RAE Tracheal Tube

Nasal, Cuffed

For nasal intubation Preformed curve design Reduces risk of kinking Maximum security Improved surgical access Atraumatic, soft rounded 26 am BICAKCILAR- 10:60 -11 2-00 -161 - 121 -02 - 121 - 121 - 02 - 1 beveled tip Murphy eye 102 Accurate positioning depth mark Radiopaque line Standard volume, low pressure cuff Special cuff design provides an efficient low pressure seal Valve integrated pilot pressure cuff with designated size and nominal outside diameter markings Standard connector I.D. (mm) 0.D. (mm) Size Ref 551 8140 1 4.0 4.0 5.9 4.5 6.5 551 8145 1 4.5 5.0 7.1 551 8150 1 5.0 551 8155 1 5.5 5.5 7.7 8.4 551 8160 1 6.0 6.0 551 8165 1 6.5 6.5 9.1 9.8 551 8170 1 7.0 7.0 551 8175 1 7.5 7.5 10.3 8.0 8.0 11.0 551 8180 1



RAE Tracheal Tube

Nasal, Uncuffed For nasal intubation

Preformed curve design Reduces risk of kinking Maximum security Improved surgical access Atraumatic, soft rounded beveled tip Murphy eye Accurate positioning depth mark Vocal cord markings Radiopaque line Standard connector

20 0

4

Ref	Size	I.D. (mm)	0.D. (mm)
550 8130 1	3.0	3.0	4.5
550 8135 1	3.5	3.5	5.2
550 8140 1	4.0	4.0	5.9
550 8145 1	4.5	4.5	6.5
550 8150 1	5.0	5.0	7.1
550 8155 1	5.5	5.5	7.7
550 8160 1	6.0	6.0	8.4
550 8165 1	6.5	6.5	9.1
550 8170 1	7.0	7.0	9.8



Tracheal Tube Holder

Securely holds tube in the proper position

Provides maximum patient comfort and easy access to the oral cavity

Simple repositioning of the tube without removal of the holder

Hypo allergic adhesive surface

Three sizes available

Ref	Tracheal Tube Sizes
550 0005 2	4.5 - 5.0 - 5.5 - 6.0 - 6.5 mm
550 0006 2	7.0 - 7.5 - 8.0 - 8.5 mm
550 0007 2	9.0 - 9.5 - 10.0 mm

Intubation Stylet

Malleable aluminium rod with a plastic sleeve which allows the stylet to be easily adapted to any desired shape Smooth outer sleeve permits easy insertion and withdrawal Choice of 3 sizes to fit all adult and pediatric tracheal tubes Soft distal tip

Ref		Size
550 (0001 1	2.5 - 4.5 mm (Small)
550 (0021	5.0 - 8.0 mm (Medium)
550 (0003 1	8.5 - 10.0 mm (Large)



Maintains airway through the oral cavity and pharynx Anatomically correct design

Atraumatic soft-rounded edges

Resists collapse

Ref

Non-sterile

900 0030 3 000

900 0040 3 00

900 0050 3 0

900 0070 3 2

900 0080 3 3

900 0090 3 4

900 0100 3 5

900 0110 3 6

900 0060 3

Sterile

900 0030 1

900 0040 1

900 0050 1

900 0060 1

900 0070 1

900 0080 1

900 0090 1

900 0100 1

900 0110 1

Size

1

Length ISO Color

Transparent 🗖

F

Ħ

F

F

F

Liaht Green

Blue

Black

White

Green

Yellow

Orange

Red

3 cm

4 cm

5 cm

6 cm

7 cm

8 cm

9 cm

10 cm

11 cm

Smooth inner and outer surfaces

Bite block provides access for suction catheters

Flexible to ensure dental protection Sterile and clean pack bulk packaging Color coded







Ref	Size
550 0001 1	2.5 - 4.5 mm (Small)
550 0002 1	5.0 - 8.0 mm (Medium)
550 0003 1	8.5 - 10.0 mm (Large)

Tracheostomy Tube

Swivel 15 mm connector provides easy handling

Flexible neckplate with slits for strap insertion providing secure positioning

Designated size and nominal outside diameter markings on the neckplate

Reliable inflation apparatus comprising of inflating tube, pilot balloon, and a check-valve with luer connection

Soft, thin-walled, high-volume, low-pressure cuff

Atraumatic, soft rounded tip, transparent, curved cannula Clear radiopaque line facilitates to help spatial positioning Obturator to prevent tissue

7.0

drag an lumen obstruction

Ref	Size	Length (mm)
555 0050 1	5.0	57
555 0055 1	5.5	57
555 0060 1	6.0	55
555 0065 1	6.5	61
555 0070 1	7.0	67
555 0075 1	7.5	73
555 0080 1	8.0	80
555 0085 1	8.5	84
555 0090 1	9.0	91
555 0095 1	9.5	94
555 0100 1	10.0	94



Uncuffed

Swivel 15 mm connector provides easy handling

Flexible neckplate with slits for strap insertion providing secure positioning

Designated size and nominal outside diameter markings on the neckplate

Atraumatic, soft rounded tip, transparent, curved cannula

Clear radiopaque line facilitates to help spatial positioning

Obturator to prevent tissue drag an lumen obstruction

KCI	3120	Lengen (mm)
556 0050 1	5.0	57
556 0055 1	5.5	57
556 0060 1	6.0	55
556 0065 1	6.5	61
556 0070 1	7.0	67
556 0075 1	7.5	73
556 0080 1	8.0	80
556 0085 1	8.5	84
556 0090 1	9.0	91
556 0095 1	9.5	94
556 0100 1	10.0	94

Longth

Dof

B-Spiro 5000 Volumetric Exerciser

Incentive lung exerciser for adult use 5000 ml inhaled air capacity Double side scaled chamber with inhalation piston Orange inhalation coach indicator with essential level marking Exercise target value indicator Flexible tubing with fixation slot Easy to clean mouthpiece with filter

Compact, ergonomic and stable design

-5000-

-4500-

-4000-

-3500-

-3000----

2500-

-2000-

-1500-

-1000-

- 500 ____

inspired volume

AK

5

Label for recording patient data

B-Spiro 2500 Volumetric Exerciser

Incentive lung exerciser for adolescent/small-adult use 2500 ml inhaled air capacity Dual-sided easy to read scale Adjustable goal indicator Flexible tubing with insertion slot Easy to clean mouth piece with filter Wide base, sturdy design Label for recording patient data



Ref	
186 2500 2	

24

Ref 186 5000 2

B-Spiro Pediatric Volumetric Exerciser

Incentive lung exerciser for pediatric use 2500 ml inhaled air capacity Dual-sided easy to read scale Adjustable goal indicator Flexible tubing with insertion slot Easy to clean mouth piece with filter Wide base, sturdy design Label for recording patient data



Dof
Rei
186 2501 2

B-Spiro Triball Flowmetric Exerciser

Incentive lung exerciser for pediatric and adult use

Three color coded inhalation exercise balls with volume marked chambers

Flow rate range from 600cc/sec, 900cc/sec and 1200cc/sec

Compact design

Air filter

Flexible tubing with fixation slot

Easy to clean mouthpiece

Tuck-in mouthpiece holder



Ref	
186 1200 2	

Pressure Monitoring Sets

Practical pressure monitoring for operating rooms, ICU and catheter laboratories

Standard compenents allow pressure transmission without damping

Secure attachments prevent contamination

Non-compliant, kink resistant lines for optimum pressure readings

Transparent components allow bubble detection

Custom design

With Single Transducer I.V. Infusion set, 150 cm tubing Roller clamp Transducer - 3 cc/h 120 cm extension line Three way stopcock 30 cm extension line Male luer lock connector

With Two Transducers I.V. Infusion set, 100 cm tubing Roller clamp "Y" connector 40 cm extension line 2 ea transducer - 3 cc/h 150 cm extension line Three way stopcock 30 cm extension line Male luer lock connector 8 'n

Ref	
400 1821 1	w/Single Transducer
400 1822 1	w/Two Transducers



Umbilical Catheter

Radiopaque line

Frosted surface for easy insertion

Appropriate degree of hardness provides atraumatic insertion and kink resistance

Depth marks with 5 cm intervals at 5, 10, 15, 20, 25 and 30 cm from the distal end.

Atraumatic, soft rounded open tip

Connector cap to prevent backflow and contamination

Color coded connector

Length: 50 cm



Oxygen Catheter

Atraumatic, soft rounded, open distal tip Four lateral eyes Conical connector Length: 34 cm



Ref	Size	Color
563 0801 1	08 Ch	Blue 💷
563 1001 1	10 Ch	Black 🛲
563 1201 1	12 Ch	White mm
563 1401 1	14 Ch	Green 🚥

Nasal Oxygen Cannula



Gas Sampling Line

Monitoring of inspiratory and expiratory gases can give crucial information on a ventilated patient status. In low flow anesthesia in particular, accurate measurement of carbondioxide levels, and inspiratory and expiratory volatile anesthetic concentrations is highly recommended.

Economic and safe - Prevents waste of anesthetic gases and accurately measures $\rm CO_2$ level through Y, elbow connector.

Universal Connection - Most systems use a male/male luer lock configuration. Anesthesia circuits use a female luer lock which requires a male luer lock fitting on the gas line. Male/Male or Female end options.

Length - The length is dependent on the distance from the point of attachment (anesthesia circuit) to the monitor. We are offering 2 and 3 meter sampling lines.

Filter Attachments - 0.8μ filter option. Latex-free.

Ref	Connector	Length (m)	Filter (Micron)
573 0071 1	M/F	2	-
573 0072 1	M/F	3	-
573 0171 1	M/F	2	0.8
573 0172 1	M/F	3	0.8
573 0061 1	M/M	2	-
573 0062 1	M/M	3	-
573 0161 1	M/M	2	0.8
573 0162 1	M/M	3	0.8

Ref	
560 2001 2	

Suction Catheter

Beveled Tip

Frosted surface for easy insertion Appropriate degree of hardness provides kink resistance Atraumatic, soft rounded, beveled open tip

Two lateral eyes with smooth edges

Color coded connector

Length: 50 cm (40 and 60 cm are available)

Beveled Tip

Ref	Size	Color
190 0601 1	06 Ch	Light Green 🛏
190 0801 1	08 Ch	Blue 🗖
190 1001 1	10 Ch	Black 🗖
190 1201 1	12 Ch	White 🗖
190 1401 1	14 Ch	Green 🗖
190 1601 1	16 Ch	Orange 르
190 1801 1	18 Ch	Red 🗖
190 2001 1	20 Ch	Yellow 🗖

Suction Catheter

Ideal Tip

Frosted surface for easy insertion

Appropriate degree of hardness provides kink resistance

Ideal tip reducing the risk of tissue damage

Atraumatic, soft rounded, open tip

Two lateral eyes with smooth edges

Color coded connector

Length: 50 cm (40 and 60 cm are available)





Ref	Size	Color
190 0685 1	06 Ch	Light Green 🛏
190 0885 1	08 Ch	Blue 🗖
190 1085 1	10 Ch	Black 🛏
190 1285 1	12 Ch	White 🖂
190 1485 1	14 Ch	Green 🛏
190 1685 1	16 Ch	Orange 🖂
190 1885 1	18 Ch	Red 🗖
190 2085 1	20 Ch	Yellow 🗖



OR & ICU/TRACHEAL SUCTIONING

Suction Catheter

Ring Tip

Frosted surface for easy insertion

Appropriate degree of hardness provides kink resistance

Open ring tip for bronchial tissue protection

Four small lateral eyes to prevent baro-trauma

Color coded soft connector

Length: 50 cm (40 and 60 cm are available)



Ref	Size	Color
190 1095 1	10 Ch	Black 🗖
190 1295 1	12 Ch	White 🗖
190 1495 1	14 Ch	Green 💻
190 1695 1	16 Ch	Orange 르

Suction Catheter

Coudé Tip

Angled tip for endobronchial suction

procedures, providing easier access to the right or left bronchus

Frosted surface for easy insertion

Appropriate degree of hardness provides kink resistance

Ideal tip reducing the risk of tissue damage

Atraumatic, soft rounded, open tip

Two small relieving eyes

Marker on funnel connector indicating direction of angled tip

Color coded connector

Length: 50 cm



Ref	Size	Color
190 1065 1	10 Ch	Black 🛏
190 1265 1	12 Ch	White 📼
190 1465 1	14 Ch	Green 🗖
190 1665 1	16 Ch	Orange 르



Suction Catheter

With Vakon Connector, Ideal Tip

Frosted surface for easy insertion

Appropriate degree of hardness provides kink resistance

Metric type has accurate positioning depth marks at each cm starting 4 cm from the distal end

Ideal tip reducing the risk of tissue damage

Atraumatic, soft rounded, open tip

Two small relieving eyes

Vakon connector

Transparent for easy observation of secretions

Color coded

Prevents finger contamination

Length: 50 cm (40 and 60 cm are available)



Ideal Tip

Ref		Size	Color	
Metric		3126	COIOI	
019 1190 1	190 0551 1	05 Ch	Grey 👘	
019 1191 1	190 0651 1	06 Ch	Light Green 🕋	
019 1192 1	190 0751 1	07 Ch	Violet 🛋	
019 1193 1	190 0851 1	08 Ch	Blue 🛋	
019 1194 1	190 1051 1	10 Ch	Black 🚄 🛼	
019 1195 1	190 1251 1	12 Ch	White 6	
019 1196 1	190 1451 1	14 Ch	Green 🛋	
019 1197 1	190 1651 1	16 Ch	Orange 🛋	
019 1198 1	190 1851 1	18 Ch	Red 🍝	

Suction Catheter

With Vakon II Connector, Ideal Tip

Frosted surface for easy insertion

Appropriate degree of hardness provides kink resistance

Metric type has accurate positioning depth marks at each cm starting 4 cm from the distal end

Ideal tip reducing the risk of tissue damage

Atraumatic, soft rounded, open tip

Two small relieving eyes

Vakon connector

Color coded

Prevents finger contamination

Length: 50 cm (40 and 60 cm are available)

Ideal Tip

Ref		Size	Color	
Metric		3126	COIDI	
019 1290 1	190 0581 1	05 Ch	Grey	
019 1291 1	190 0681 1	06 Ch	Light Green 🛛 🖛	
019 1292 1	190 0781 1	07 Ch	Violet 🖌	
019 1293 1	190 0881 1	08 Ch	Blue 🕋	
019 1294 1	190 1081 1	10 Ch	Black 🛋	
019 1295 1	190 1281 1	12 Ch	White 6	
019 1296 1	190 1481 1	14 Ch	Green 🛋	
019 1297 1	190 1681 1	16 Ch	Orange 🕋	
019 1298 1	190 1881 1	18 Ch	Red	

OR & ICU/TRACHEAL SUCTIONING

Suction Catheter

With Vacuum Control Connector

Frosted surface for easy insertion Appropriate degree of hardness provides kink resistance

Atraumatic, soft rounded, beveled open tip

Two lateral eyes with smooth edges

Color coded vacuum control connector

Length: 50 cm (40 and 60 cm are available)

Beveled Tip

Ref	Size	Color
191 0611 1	06 Ch	Light Green 🚢
191 0811 1	08 Ch	Blue 📕
191 1011 1	10 Ch	Black 📕
191 1211 1	12 Ch	White 🖵
191 1411 1	14 Ch	Green 📕
191 1611 1	16 Ch	Orange 📕
191 1811 1	18 Ch	Red 📕
	•	

Suction Catheter

With Kapkon Connector

Frosted surface for easy insertion Appropriate degree of hardness provides kink resistance Atraumatic, soft rounded, beveled open tip Two lateral eyes with smooth edges Kapkon connector Connector cap provides possibility of constant suction Color coded Length: 50 cm (40 and 60 cm are available)

Beveled Tip

189 0611 1 189 0811 1

189 1011 1

189 1211 1

189 1411 1

189 1611 1

189 1811 1

Size

06 Ch

08 Ch

10 Ch

12 Ch

14 Ch

16 Ch

18 Ch

Color Light Green

Blue

Black

White

Green

Orange

Red

-

-

Ref



Kapkon Connector

Transparent for easy observation of secretions

Connector cap provides possibility of constant suction

Accepts funnel connector 4 Ch - 18 Ch

Meconium Aspiration Connector

Designed to suctioning meconium Suction control thumb port for intermittent suctioning Attaches to neonatal endotracheal tube connector





Ref	
240 0001 1	Sterile
240 0001 3	Bulk

Ref	
236 1001 1	

Spigot

Closure for catheter funnel connectors from 6 Ch to 35 Ch

Conical Connector

Luer lock proximal end Length: 40 mm





			1000

R		
Spigot I	Spigot II	
238 0001 1	238 0011 1	Sterile
238 0001 3	238 0011 3	Bulk

Ref	
235 0001 1	Sterile
235 0001 3	Bulk

Trachea Suction Set

Male/Funnel Connector

Container for sampling of secretion from tracheal or bronchial tubes

Transparent contanier provides clear observation of secretions

Extra cap ensuring safe sealing of sample container

Variety of connectors available to fit different suction catheters

Self-adhesive label for patient identification info





Ref 187 2001 1

Trachea Suction Set

Funnel/Male Connector

Container for sampling of secretion from tracheal or bronchial tubes

Transparent contanier provides clear observation of secretions

Extra cap ensuring safe sealing of sample container

Variety of connectors available to fit different suction catheters

Self-adhesive label for patient identification info



Ref 187 2101 1

Trachea Suction Set

Funnel/Kapkon Connector

Container for sampling of secretion from tracheal or bronchial tubes

Transparent contanier provides clear observation of secretions

Extra cap ensuring safe sealing of sample container

Variety of connectors available to fit different suction catheters

Self-adhesive label for patient identification info



-10 -9 -8 -7 -6 -5 -4 -3-2

Ref	
87 2201	1

1

Trachea Suction Set Funnel/Kapkon, With Extra Container Container for sampling of secretion from tracheal or bronchial tubes Transparent contanier provides clear observation of secretions Extra cap ensuring safe sealing of sample container Variety of connectors available to fit different suction catheters

Self-adhesive label for patient identification info






-10 -9 -8 -7 -6 -5 -4 -3-2



Ref 187 2301 1





OR & ICU/OP SUCTIONING

Yankauer Suction Set

With Sump Tip

Sump tip Yankauer suction handle 24 Ch (Ø 5.6 x 8.0 mm) kink resistant tubing Cut-to-fit and funnel connectors prevents kinking and clogging

Sump tip Ref 164 4210 1 Without Vacuum Control 164 3210 1 With Vacuum Control

Suction Set

With Poole Tip

Poole tip suction handle 24 Ch (Ø 5.6 x 8.0 mm) kink resistant tubing Cut-to-fit and funnel connectors prevents kinking and clogging

Poole tip

Ref

164 9210 1

Yankauer Suction Handle

Standard and Bulb Tip

Standard tip and bulb tip and optional vacuum control feature allow multipurpose use

One piece ergonomic design

Rigid material

4 relieving eyes

Accepts 6.35 mm (1/4") and 9.50 mm (3/8") connections



161 1001 1

With Vacuum Control




Yankauer Suction Handle 20 Ch Tip

20 Ch tip for operations causing profuse bleeding and for general atraumatic surgical suction

Optional finger tip vacuum control feature

Ergonomic handle design

Accepts 6.35 mm (1/4") and 9.50 mm (3/8") connections



Ref		
20 Ch Tip 20 Ch Tip w/4 Relieving Eyes		
160 0101 1	160 0102 1	Without Vacuum Control
160 1101 1	160 1102 1	With Vacuum Control



160 1001 1

OR & ICU/OP SUCTIONING

Yankauer Suction Handle

Sump Tip

Sump tip for greater suction during thoracic and gastrointestinal surgery

Optional finger tip vacuum control feature

Ergonomic handle design

Accepts 6.35 mm (1/4") and 9.50 mm (3/8") connections



Ref	
161 0101 1	Without Vacuum Control
161 1101 1	With Vacuum Control

Suction Handle

Poole Tip

Poole tip for central profuse bleeding and abdominal thoracic, gynecological and hepatic surgeries

Ergonomic handle design

Sunken eyes provide atraumatic suction

Inner tube with 4 relieving eyes

Transparent detachable poole offers easy observation of flow

Accepts 6.35 mm (1/4") and 9.50 mm (3/8") connections




Ref 161 0111 1



Suction Connecting Tube

With Standard Connector

Standard connectors 24 Ch or 30 Ch kink resistant tubing Available in different tubing lengths



Suction Connecting Tube

With Standard and Kapkon Connector

Standard and kapkon connectors 24 Ch or 30 Ch kink resistant tubing Available in different tubing lengths

With Kapkon-1 Connector

With Kapkon-2 Connector

Ref				
Kapkon-1	Kapkon-2	Size	Ø mm	Length
168 3180 1	168 5180 1	24 Ch	5.6 x 8.0	180 cm
168 3210 1	168 5210 1	24 Ch	5.6 x 8.0	210 cm
168 3250 1	168 5250 1	24 Ch	5.6 x 8.0	250 cm
168 3300 1	168 5300 1	24 Ch	5.6 x 8.0	300 cm
168 3350 1	168 5350 1	24 Ch	5.6 x 8.0	350 cm
169 3180 1		30 Ch	7.0 x 10.0	180 cm
169 3210 1		30 Ch	7.0 x 10.0	210 cm
169 3250 1		30 Ch	7.0 x 10.0	250 cm
169 3300 1		30 Ch	7.0 x 10.0	300 cm
169 3350 1		30 Ch	7.0 x 10.0	350 cm

Suction Connecting Tube

With Conical Connector

Standard and conical connectors 24 ch (Ø 5.6 x 8.0 mm) kink resistant tubing Available in different tubing lengths

Suction Connecting Tube

With Cut-to-fit Connector

Cut-to-fit and funnel connectors prevent kinking and clogging 24 ch (Ø 5.6 x 8.0 mm) kink resistant tubing Available in different tubing lengths

Ref	Length
168 6180 1	180 cm
168 6210 1	210 cm
168 6250 1	250 cm
168 6300 1	300 cm
168 6350 1	350 cm

Ref	Length
168 0180 1	180 cm
168 0210 1	210 cm
168 0250 1	250 cm
168 0300 1	300 cm
168 0350 1	350 cm

Suction Bag

For hygienic disposal of aspirated secretions and liquids from patients during medical procedures

Closed suction system

Easy, practical and hygienic use

Overfill blocking and bacteria holder hydrophobic bacteria filter

Suitable for serial connection

Sampling port

Transport handle

1000 ml, 2000 ml and 3000 ml collecting capacities

Extra durable

Suction connecting tube options available upon request

Solidifying agents available upon request Antifoam

Ref				
Standard	w/Solidifying Agent	Capacity	Connector	Tubing Length
163 1501 2	163 4501 2	1000 ml	Kapkon	180 cm
163 1601 2	163 4601 2	1000 ml	Standard	180 cm
163 1701 2	163 4701 2	1000 ml	Conical	180 cm
163 2501 2	163 5801 2	2000 ml	Kapkon	180 cm
163 2601 2	163 5601 2	2000 ml	Standard	180 cm
163 2603 2		2000 ml	Standard	300 cm
163 2701 2	163 5701 2	2000 ml	Conical	180 cm
163 2802 2	163 5802 2	2000 ml	Kapkon	210 cm
163 2803 2	163 5803 2	2000 ml	Kapkon	300 cm
163 3501 2	163 6501 2	3000 ml	Kapkon	180 cm
163 3601 2	163 6601 2	3000 ml	Standard	180 cm
163 3701 2	163 6701 2	3000 ml	Conical	180 cm
163 3801 2	163 6801 2	3000 ml	Kapkon	180 cm
163 3802 2	163 6802 2	3000 ml	Kapkon	210 cm
SER-57157		1000 ml		
SER-57167		2000 ml		
SER-57187		3000 ml		



Canister

For suction bags

Transparent Mobile stand and wall or rail mount use options Graduated in ml

1000 ml, 2000 ml and 3000 ml collecting capacities Can be autoclaved at 121°C or washed in 85°C


Serres



Ref	Capacity
SER-57308	1000 ml
SER-57328	2000 ml
SER-57348	3000 ml







B-Vak Wound Drainage System

400 ml

For low pressure wound drainage Approximately 400 ml bellow capacity Volume indicator marks Easy discharge of air and contents Cut-to-fit connector Radiopaque redon drain

			Orto off off	D' ID'	PON P
	R	ef			
w/o Trocar	w/1 Trocar	w/1 Trocar & 2 Drains	w/2 Trocars	Drain Size	Drain I.D.
171 0801 1	171 0811 1	017 0906 1	171 0821 1	08 Ch	1.5 mm
171 1001 1	171 1011 1	017 0903 1	171 1021 1	10 Ch	1.8 mm
171 1201 1	171 1211 1	017 0902 1	171 1221 1	12 Ch	2.0 mm
171 1401 1	171 1411 1	017 0901 1	171 1421 1	14 Ch	2.5 mm
171 1601 1	171 1611 1	017 0904 1	171 1621 1	16 Ch	3.3 mm
171 1801 1	171 1811 1	017 0905 1	171 1821 1	18 Ch	4.0 mm

CT

B-Vak Mini Wound Drainage System

For low pressure wound drainage Approximately 25 ml bellow capacity Easy discharge of air and contents Radiopaque redon drain and stainless steel needle Color coded connector



Ref	Drain Size	Drain I.D.	Color
173 0611 1	06 Ch	1.0 mm	Green
173 0811 1	08 Ch	1.4 mm	Blue
173 1011 1	10 Ch	1.7 mm	Black 🔳

Redon Drain


Appropriate degree of hardness provides kink resistance and easy insertion Atraumatic, soft rounded open tip Cross-perforated Radiopaque line Cm depth marks Length: 50 cm

Ref	Drain Size	Drain I.D.
790 0601 1	06 Ch	1.0 mm
790 0801 1	08 Ch	1.5 mm
790 1001 1	10 Ch	1.8 mm
790 1201 1	12 Ch	2.0 mm
790 1401 1	14 Ch	2.5 mm
790 1601 1	16 Ch	3.3 mm
790 1801 1	18 Ch	4.0 mm

B-Vak Silicone Drainage System

For low pressure wound drainage 100% medical grade silicone Superior biocompatibility Minimizes tissue trauma Flat and channeled drain options Available with and without trocar Simple set-up Ergonomic easy to use hanging clip Effortless suction activation Anti-reflux valve to prevent backflow Clear reservoir and legible graduations 100ml / 200ml / 400ml drainage reservoir options

400ml reservoir has dual-inlet ports to allow double drain connection without the use of a "Y" connector





Ref	Capacity	Drain Type	Drain Size	Trocar
171 3122 1	100 ml	Flat	7 mm	w/o Trocar
171 3123 1	100 ml	Flat	10 mm	w/o Trocar
171 3132 1	100 ml	Flat	7 mm	w/Trocar
171 3133 1	100 ml	Flat	10 mm	w/Trocar
171 3222 1	200 ml	Flat	7 mm	w/o Trocar
171 3223 1	200 ml	Flat	10 mm	w/o Trocar
171 3232 1	200 ml	Flat	7 mm	w/Trocar
171 3233 1	200 ml	Flat	10 mm	w/Trocar
171 3322 1	400 ml	Flat	7 mm	w/o Trocar
171 3323 1	400 ml	Flat	10 mm	w/o Trocar
171 3332 1	400 ml	Flat	7 mm	w/Trocar
171 3333 1	400 ml	Flat	10 mm	w/Trocar
171 3126 1	100 ml	Channeled	10 Ch	w/o Trocar
171 3127 1	100 ml	Channeled	15 Ch	w/o Trocar
171 3128 1	100 ml	Channeled	19 Ch	w/o Trocar
171 3129 1	100 ml	Channeled	24 Ch	w/o Trocar
171 3136 1	100 ml	Channeled	10 Ch	w/Trocar
171 3137 1	100 ml	Channeled	15 Ch	w/Trocar
171 3138 1	100 ml	Channeled	19 Ch	w/Trocar
171 3139 1	100 ml	Channeled	24 Ch	w/Trocar
171 3226 1	200 ml	Channeled	10 Ch	w/o Trocar
171 3227 1	200 ml	Channeled	15 Ch	w/o Trocar
171 3228 1	200 ml	Channeled	19 Ch	w/o Trocar
171 3229 1	200 ml	Channeled	24 Ch	w/o Trocar
171 3236 1	200 ml	Channeled	10 Ch	w/Trocar
171 3237 1	200 ml	Channeled	15 Ch	w/Trocar
171 3238 1	200 ml	Channeled	19 Ch	w/Trocar
171 3239 1	200 ml	Channeled	24 Ch	w/Trocar
171 3326 1	400 ml	Channeled	10 Ch	w/o Trocar
171 3327 1	400 ml	Channeled	15 Ch	w/o Trocar
171 3328 1	400 ml	Channeled	19 Ch	w/o Trocar
171 3329 1	400 ml	Channeled	24 Ch	w/o Trocar
171 3336 1	400 ml	Channeled	10 Ch	w/Trocar
171 3337 1	400 ml	Channeled	15 Ch	w/Trocar
171 3338 1	400 ml	Channeled	19 Ch	w/Trocar
171 3339 1	400 ml	Channeled	24 Ch	w/Trocar

B-Vak Silicone Drainage Reservoir

For low pressure wound drainage 100% medical grade silicone Superior biocompatibility Minimizes tissue trauma Simple set-up Ergonomic easy to use hanging clip Effortless suction activation Anti-reflux valve to help prevent backflow Clear reservoir and legible graduations 100ml / 200ml / 400ml drainage reservoir options 400ml reservoir has dual-inlet ports to allow double drain connection without the use of a "Y" connector



Ref	Capacity
171 3011 1	100 ml
171 3013 1	200 ml
171 3014 1	400 ml

B-Vak Silicone Flat Drain

100% medical grade silicone Superior biocompatibility Soft, kink-resistant tubing Multiple drainage holes Inner lumen ribbing to help prevent drain collapse Two-piece design Available in 7 mm and 10 mm sizes Full perforation Radiopaque for x-ray detection Available with and without trocar

100 ml

200 ml

Ref 171 3022 1

171 3023 1

171 3032 1

171 3033 1

7 mm

10 mm

7 mm

10 mm

		N O UNIO
Drain Size	Trocar	

w/o Trocar

w/o Trocar


w/Trocar

w/Trocar

B-Vak Silicone Channeled Drain

100% medical grade silicone Four free-flowing channel design offers optimized drainage Improved contact with affected tissues Providing high tensile strength A no-hole design for minimum tissue growth Available 10-15-19 -24 Fr hubless sizes Radiopaque line Available with and without trocar Ref Drain Size Trocar 10 Ch w/o Trocar 171 3026 1 171 3027 1 15 Ch w/o Trocar 171 3028 1 19 Ch w/o Trocar 171 3029 1 24 Ch w/o Trocar 171 3036 1 10 Ch w/Trocar 171 3037 1 15 Ch w/Trocar 171 3038 1 19 Ch w/Trocar 171 3039 1 24 Ch w/Trocar

T.U.R. / Arthroscopy Set



T.U.R. / Arthroscopy Set

With Manual Pressure Pump

Non-vented spikes Clamps and "Y" connector Manual pressure pump Luer lock port cap on the connector to purge air out Proximal tip with soft PVC tubing and rotating luer lock connector Total length: 220 cm

Ref

450 0001 1

Thoracic Catheter

With Trocar, Standard Tip

Trocar with tri-facetted cutting tip Flexible tubing wall provides leak proof

tissue/tubing interface and easy milking Tapered tip for easy and safe insertion

Cross side eyes to prevent tissue aspiration

Radiopaque line

Acccurate positioning depth marks at each cm starting 2 cm from the distal end

Integral large bore tapered connector



Ref	Size	Length
184 1201 1	12 Ch	225 mm
184 1601 1	16 Ch	235 mm
184 2001 1	20 Ch	390 mm
184 2401 1	24 Ch	390 mm
184 2801 1	28 Ch	390 mm
184 3201 1	32 Ch	390 mm



Thoracic Catheter

Flexible tubing wall provides leak proof tissue/tubing interface Atraumatic, rounded, open distal tip Easy to milk Cross side eyes to prevent tissue aspiration Radiopaque line Acccurate positioning depth marks at each cm starting 2 cm from the distal end Flared end to accept different sized connectors Straight or right angled design Length: 52 cm

R	Size		
Straight	Angled	3126	
180 1201 1	182 1201 1	12 Ch	
180 1601 1	182 1601 1	16 Ch	
180 2001 1	182 2001 1	20 Ch	
180 2401 1	182 2401 1	24 Ch	
180 2801 1	182 2801 1	28 Ch	
180 3201 1	182 3201 1	32 Ch	
180 3601 1	182 3601 1	36 Ch	
180 4001 1	182 4001 1	40 Ch	

6

Underwater seal drainage

BPDS-2000 Pleural Drainage System

2000 ml collecting capacity Firm stand to avoid accidental overturn Handle for patient convenience Easy to write on drainage marking scale Funnel to facilitate priming Easy to milk, soft and kink resistant silk finished tubing Corrugated support tubing that prevents drainage obstruction due to kinking at collector inlet

Length of tubing: 150 cm

Tube connector specially designed to accept different thoracic catheter sizes

Optional luer lock port cap on the connector helps to empty coagulum collected in the tubing

Priming volume: 180cc

BPDS-700 Pleural Drainage System

Underwater seal drainage

700 ml collecting capacity

Firm stand to avoid accidental overturn

Handle for patient convenience

Easy to write on drainage marking scale

Сар

Easy to milk, soft and kink resistant silk finished tubing

Corrugated support tubing that prevents drainage obstruction due to kinking at collector inlet

Length of tubing: 150 cm

Tube connector specially designed to accept different thoracic catheter sizes

Optional luer lock port cap on the connector helps to empty coagulum collected in the tubing

Priming volume: 50cc

Ref	
175 2001 1	w/Luer Lock Port
175 2002 1	w/Antifoam
175 2005 1	w/Latex Tubing
017 2004 1	w/o Luer Lock Port

Ref	
175 7001 1	w/Luer Lock Port
175 7002 1	w/Antifoam
017 7004 1	w/o Luer Lock Port

BTDS-2001 Thoracic Drainage System

Underwater seal drainage Discard port 2000 ml collecting capacity Handle for patient convenience Easy to write on drainage marking scale Сар Easy to milk, soft and kink resistant silk finished tubing Corrugated support tubing that prevents drainage obstruction due to kinking at collector inlet Length of tubing: 150 cm Tube connector specially designed to accept different thoracic catheter sizes Optional luer lock port cap on the connector helps to empty coagulum collected in the tubing Priming volume: 200cc

Ref	
176 2001 1	w/Luer Lock Port
017 6001 1	w/o Luer Lock Port

BTDS-2002 Thoracic Drainage System

Underwater seal drainage

Double inlet for multiple tube

drainage

Discard port

2000 ml collecting capacity

Handle for patient convenience

Easy to write on drainage marking scale

Сар

2100 🗢 190

2000 - 1800

1900 - 1700

1800 🗢 160

1700 - 150

1500 -140

1300 -11

1200

Easy to milk, soft and kink resistant silk finished tubing

Corrugated support tubing that prevents drainage obstruction due to kinking at collector inlet

Length of tubing: 150 cm

Tube connector specially designed to accept different thoracic catheter sizes

Optional luer lock port cap on the connector helps to empty coagulum collected in the tubing

Priming volume: 200cc

BICHKCIFHK - 3-8 X 1-10

00

1900 - 170

1800 - 160

1700 - 150

1600 🔶 14

00 4

1200 -1

Feeding Tube

Radiopaque line





Nasogastric Catheter

Levin

Radiopaque line

Frosted surface for easy insertion

Appropriate degree of hardness provides kink resistance

Atraumatic, soft rounded open tip

Four lateral eyes with smooth edges

Depth marks with 10 cm intervals at 45, 55, 65 and 75 cm from the distal end

Color coded connector

Length: 121 cm

Ref	Size	Color
194 0620 1	06 Ch	Light Green 🛌
194 0820 1	08 Ch	Blue 🗖
194 1020 1	10 Ch	Black 🗖
194 1220 1	12 Ch	White 🗖
194 1420 1	14 Ch	Green
194 1620 1	16 Ch	Orange 🗖
194 1820 1	18 Ch	Red 🗖
194 2020 1	20 Ch	Yellow 🗖

Rectal Tube

Frosted surface for easy insertion Appropriate degree of hardness provides kink resistance Atraumatic, soft rounded closed tip Two lateral eyes with smooth edges Color coded connector Length: 40 cm

Ref	Size	Color	
199 1801 1	18 Ch	Red	
199 2001 1	20 Ch	Yellow 🖡	_1
199 2201 1	22 Ch	Violet 🛛	
199 2401 1	24 Ch	Dark Blue 🛽	
199 2501 1	25 Ch	Grey 🛛	
199 2601 1	26 Ch	White r	_1
199 2801 1	28 Ch	Dark Green 🛛	
199 3001 1	30 Ch	Silver Grey 🛿	
199 3201 1	32 Ch	Brown	
199 3501 1	35 Ch	Light Grey 🛿	_1
199 2801 1 199 3001 1 199 3201 1	28 Ch 30 Ch 32 Ch	Dark Green	_



OR & ICU/UROLOGY

Urimeter 500 Plus

Closed System

Collecting chamber 500 ml Fine measuring capacity up to 40 ml One-touch fast-flow tap Check valve Hydrophobic air filter Integrated bypass channel to prevent overflow Adjustable fastening straps Folding bed rail hangers Bottom outlet urine bag with 2000 ml capacity Non-return valve Hydrophobic air filter Patient identification tag "T" type foldable bottom outlet Bottom outlet insert

Large bore, kink resistant tubing (single lumen/double lumen options)

Push-on closure clamp

Secure catheter connector

Sampling port options for needle use/needleless use

Ref	Tubing	Tubing Length	Sampling Port	Check Valve
227 1020 1	w/Single Lumen	150 cm	For Needle Use	w/o Check Valve
227 1021 1	w/Single Lumen	120 cm	For Needleless Use	w/o Check Valve
227 1022 1	w/Single Lumen	120 cm	For Needle Use	w/Check Valve
227 1023 1	w/Single Lumen	120 cm	For Needleless Use	w/Check Valve
227 1030 1	w/Double Lumen	120 cm	For Needleless Use	w/Check Valve
022 7401 1	w/Double Lumen	135 cm	For Needleless Use	w/Check Valve
022 7402 1	w/Single Lumen	150 cm	For Needleless Use	w/o Check Valve

Ref	Spare Bag
223 1040 1	Spare Bag for Urimeter 500 Plus
223 1041 1	Spare Bag for Urimeter 500 Plus - w/o Tap





.



Sampling port options:



Sampling port for needleless use



Sampling port for needle use





Folding bed rail hangers

Hydrophobic air filter

OR & ICU/UROLOGY

Urimeter 500

Collecting chamber 500 ml collecting capacity Fine measurement up to 50 ml Four measurement chambers Air vent with hydrophobic filter Sampling port Wide bore kink resistant tubing Optional check-valve By-pass system prevents overflow Valve for simultaneous emptying of all chambers Urine collecting bag Individually peel-packed, sterile

Flexible fastening straps

Ref		
w/o Check Valve	w/Check Valve	Urine Bag
227 1003 1	227 1004 1	w/B1, 1500 ml, w/clamp
227 1008 1	227 1009 1	w/B1, 2000 ml, w/clamp
227 1001 1	227 1002 1	w/B4, 2000 ml
227 2001 1	227 2002 1	w/Integrated B4, 2000 ml
227 1006 1	227 1007 1	w/B4, 2000 ml, w/clamp
227 1010 1	227 1012 1	w/B6, 2000 ml
223 1020 1		Spare B4, 2000 ml, Sterile
223 1020 3		Spare B4, 2000 ml, N/S

Nelaton Catheter

Frosted surface for easy insertion Appropriate degree of hardness provides kink resistance Atraumatic, soft rounded closed tip Two lateral eyes with smooth edges Color coded connector Length: Nelaton: 40 cm Nelaton female: 18 cm



Ref				
Nelaton	Nelaton Female	Size	Color	
195 0601 1	195 0605 1	06 Ch	Light Green 🗖	
195 0801 1	195 0805 1	08 Ch	Blue 🗖	
195 1001 1	195 1005 1	10 Ch	Black 🗖	
195 1201 1	195 1205 1	12 Ch	White 🗖	
195 1401 1	195 1405 1	14 Ch	Green 🗖	
195 1601 1	195 1605 1	16 Ch	Orange 🗖	
195 1801 1	195 1805 1	18 Ch	Red 🗖	
195 2001 1		20 Ch	Yellow 🗖	
195 2201 1		22 Ch	Violet 🗖	
195 2401 1		24 Ch	Dark Blue 🛛 🗖	



Tiemann Catheter

Effective catheterization in obstructive passages Frosted surface for easy insertion Appropriate degree of hardness provides kink resistance Atraumatic, angled, slightly rigid closed tip Two lateral eyes with smooth edges Marker on funnel connector indicating direction of angled tip Color coded connector Length: 40 cm



Ref	Size	Color
195 0820 1	08 Ch	Blue 🗖
195 1020 1	10 Ch	Black 🗖
195 1220 1	12 Ch	White 🗖
195 1420 1	14 Ch	Green 🗖
195 1620 1	16 Ch	Orange 🗖
195 1820 1	18 Ch	Red 🗖
195 2020 1	20 Ch	Yellow 🗖



OR & ICU/OTHER

External Drainage Set

Used for,

Reduction of volume via cerebrospinal fluid drainage, sampling of cerebrospinal fluid and Intracranial pressure monitorization


Burette 150 ml capacity Antimicrobial filter Tubing 20 cm pressure tubing wih radiopaque line 170 cm pressure tubing Luer lock connector for connecting ventricular catheter's distal connector and cap Patient line stopcock with optinal transducer connection Hanger strap and lock for easy height adjustment B-safe valve Suitable for CSF sampling Needleless Bidirectional Drainage Bag 800 ml capacity 50 ml graduated Antimicrobial filter Slide clamp Optional Graduated (cmH₂O and mmHg) pressure scale tape Sterile


Ref	
115 0101 1	External Drainage Set w/150 ml Graduated Burette
115 0111 1	External Drainage Set w/150 ml Graduated Burette and Plate



60

OR & ICU/OTHER





Graduated plate

Vaginal Speculum

Designed for patient comfort and easy to use Clear body providing good visualization of the cervix Wide aperture with support frame Aperture ≥ 3cm Secure screw locking mechanism Handles and arterior body piece with corrugations to prevent device slippage Ergonomic design with anti-pinch gaps and smooth rounded blades Retains an opening force of 45N Small, medium and large size options Color coded size indication



R	ef	Size
Sterile	Non-Sterile	3126
595 1001 1	595 1001 2	Small
595 1002 1	595 1002 2	Medium
595 1003 1	595 1003 2	Large



OR & ICU/OTHER

Vaginal Speculum II

Designed for patient comfort and easy to use

Clear body providing good visualization of the cervix

Wide aperture with support frame

Aperture ≥ 3cm

Secure stepped locking mechanism

Ergonomic design with anti-pinch gaps and smooth rounded blades

Retains an opening force of 45N

Color coded size indication

Ref

Sterile

595 1021 1

595 1022 1

595 1023 1

			6
S	ef		
		SIZA	
	Non-Sterile	Size	
	Non-Sterile 595 1021 2	Size	

Umbilical Cord Clamp

Lock security to prevent accidental opening Solid grip with toothed design Rounded edges to prevent skin irritation



Ref	
230 0001 1	



İstanbul: iTower Bomonti, Merkez Mah. Akar Cad. No:3, Kat:15, Şişli 34381 İstanbul, Turkey T: +90 (212) 210 85 85 F: +90 (212) 210 85 80

E: export@bicakcilar.com

Factory: Osmangazi Mah. Gazi Cad. No:21, Esenyurt 34522 İstanbul, Turkey T: +90 (212) 689 02 20 F: +90 (212) 689 02 29 E: factory@bicakcilar.com



